



 X SHORE 1

BASE BOAT SPECIFICATIONS

X Shore 1

A true front-runner setting a new standard for your boating experience. Silent, powerful and with zero emission.

The X Shore 1 is an extension of the Eelex 8000 clean, minimalist, Scandinavian design identity that naturally blends in with nature.

Measuring 6.5 meters/21 ft, its spacious interior and forward cabin allows for both social and active day adventures as well as comfortable overnight stays. On the Bowrider the bow area provides comfortable seating. The spacious design maximizes functionality while maintaining a sleek, open layout for lazy days at sea.



Charging

The X Shore 1 has a 63 kWh battery pack. Waterproof and highly resistant, with working temperature range from -25°C to +45°C.

Normal charging


- 22 kW: 1.5 hours 20-80%
- 7.3 kW: 4.6 hours 20-80%

Fast charging

- 45 kW: 50 min 20-80%

Range

- 50 NM at lower speeds.






Specifications

- Bowrider Model
- 100% electric
- Modular interior
- 50 NM range at lower speed

X SHORE 1 BOWRIDER






Length	6.5 m / 21 ft
Beam	2.2 m / 7.3 ft
Depth	0.65 m / 2.1 ft
Height	1.7 m / 5.4 ft
Weight	approx. 1.600kg, 3.527 lbs
Electrical Motor	125 kW
Top Speed	30 Knots
Cruising Speed	20 Knots
Battery Capacity	63 kWh
Range	50 NM at lower speeds
Normal Charging	20-80% 1.5 hours (22 kW) / 4.6 hours (7.3 kW)
Fast Charging	20-80% 50 min (45 kW)
Display	Large touch screen
Available Colors	  

Specifications

- Open Model
- 100% electric
- Modular interior
- 50 NM range at lower speed

X SHORE 1 OPEN






Length	6.5 m / 21 ft
Beam	2.2 m / 7.3 ft
Depth	0.65 m / 2.1 ft
Height	1.7 m / 5.4 ft
Weight	approx. 1.600kg, 3.527 lbs
Electrical Motor	125 kW
Top Speed	30 Knots
Cruising Speed	20 Knots
Battery Capacity	63 kWh
Range	50 NM at lower speeds
Normal Charging	20-80% 1.5 hours (22 kW) / 4.6 hours (7.3 kW)
Fast Charging	20-80% 50 min (45 kW)
Display	Large touch screen
Available Colors	<div></div>

Specifications

- Top Model
- 100% electric
- Modular interior
- 50 NM range at lower speed

X SHORE 1 TOP




Length	6.5 m / 21 ft
Beam	2.2 m / 7.3 ft
Depth	0.65 m / 2.1 ft
Height	2.41m / 7.87 ft
Weight	approx. 1.600kg, 3.527 lbs
Electrical Motor	125 kW
Top Speed	30 Knots
Cruising Speed	20 Knots
Battery Capacity	63 kWh
Range	50 NM at lower speeds
Normal Charging	20-80% 1.5 hours (22 kW) / 4.6 hours (7.3 kW)
Fast Charging	20-80% 50 min (45 kW)
Display	Large touch screen
Available Colors	<div></div>

Forward cabin

The forward cabin on Open and Top offers enough space for two to sleep, but also offers ample storage.


Dedicated space for cooler and porta potty has been set aside to maximize usability and accessibility for those that desire this functionality.



Bowrider

The bow area provides comfortable seating with ample under-seat storage, perfect for stowing gear and essentials.

The spacious design maximizes functionality while maintaining a sleek, open layout. Option to extend the bow area into an sun bed for lazy days at sea.



Adjustable sun bed and chairs

The sunbed is movable so you can choose to have either a forward or aft facing sun bed.

 X SHORE


X SHORE

Social space

The raised freeboard in the forward section provides a spacious forward cabin on the Open and Top models, along with comfortable seating in the Bowrider. As the freeboard lowers just aft of the A-pillar, it creates seating for the boat's social midship area.

Available colors

 | X SHORE



X SHORE 1 BOWRIDER

Coffee | Moss green | Sand



X SHORE 1 OPEN

Coffee | Moss green | Sand



X SHORE 1 TOP

Coffee | Moss green | Sand

Ready for production — Shore Industries 1

The X Shore 1 are built at X Shore Industries 1 in Nyköping, Sweden. Here the hulls are being produced via prepreg carbon fiber and fiberglass. As a result, the boats are lighter and only require a single 63 kWh battery.















PLEASE CONTACT US FOR MORE DETAILS

INFO@XSHORE.COM

Europe +46 8 425 049 00

North America +1 (302) 497-4673